


Minutes of Pre-Tender Meeting and Clarifications of Queries against Tender Ref: PUR-036/(LG/MPS/OTM)/2019-2020, Date: 19.11.2019

Invitation for Tender No:	PUR-036/(LG/MPS/OTM)/2019-2020	Date:	19.11.2019
Tender Package No:	01	Package Description:	Procurement of Furniture for Mymensingh Power Station.
Tender Lot No:	01	Lot Description:	Procurement of Furniture for Mymensingh Power Station.

Bidder's Name	Clause/ Section	Bidders Queries	Response of RPCL/ Amendments of Tender Document
A	Technical specification	Technical specification of Item No 15, 16, 17, 18, 19, 20, 21, 27, 28, 29, 30, 31, 32 needs more details for understanding.	Tenderer shall submit tender as per New Technical specification is attached in Annexures 4
	Price Schedule	Description and Technical specification of Item 15, 16, 17, 18, 19, 20, 21, 27, 28, 29, 30, 31, 32 are confusing.	Tenderer shall submit tender as per New Price Schedule of Goods is attached in Annexures 1; Tenderer shall submit tender as per New Specification submission and compliance sheet is attached in Annexures 2; Tenderer shall submit tender as per New Schedule of requirement is attached in Annexures 3
B	Technical specification	Technical specification of Item No 11, 12, 14, 15, 16, 19 needs to be corrected.	Tenderer shall submit tender as per New Technical specification is attached in Annexures 4




  
 (Md. Saifur Rahman, Engg.)  
 Executive Director (Engg.)  
 Rural Power Company Limited

**Price Schedule for Goods (Form PG3-3A)**

Invitation for Tender No:	PUR-036/(LG/MPS/OTM)/2019-2020	Date:	19.11.19
Tender Package No:	01	Package Description:	Procurement of Furniture for Mymensingh Power Station.
Tender Lot No:	01	Lot Description:	Procurement of Furniture for Mymensingh Power Station.

**A: PRICE OF GOODS (Including Spare Parts, if any) AND DELIVERY SCHEDULE**

1	2	3	3	3	4	5	6	7	8
Item NO.	Description Of Item	Country of Origin	Unit of Measurement	Qty Of units Required	Unit price	Total price (col. 4 x 5)	Point of Delivery as per Schedule of Requirement	Delivery Period Offered as per Schedule of Requirement	
01	Decorative ceiling		Sft	728	(Note1)		(Note2)		
02	Decorative ceiling		Sft	300					
03	Wall panel		Sft	1000					
04	Roller blind		Sft	440					
05	Dress Changing room		each	11					
06	PVC pipe 3/4"		Rft	600					
07	PVC pipe 1"		Rft	400					
08	4 gang Switch		Each	08					



*[Handwritten signature]*

*[Handwritten signature]*



09	MK box 1 gang			Set	25				
10	LED round panel light			Set	48				
11	LED double light shed 4"x6"			Set	20				
12	LED tube shade			Set	06				
13	T-5 Tube light			Set	120				
14	1.5 rm bya cable			Coil	08				
15	Conference Table			Each	01				
16	Pantry Table			Each	01				
17	Cabinet			Each	01				
18	low height Cabinet			Each	01				
19	Chair for Conference room (VIP)			Each	01				
20	Chair for Conference room			Each	22				
21	Fixed Chair for Conference room			Each	22				
22	03 (Three) seated waiting Chair			Each	05				
23	Center Table			Each	01				
24	Counter Chair in Reception			Each	01				
25	Sofa (Single Seater-2pcs & Double Seater-2pcs)			Set	01				



*[Handwritten signature]*

*[Handwritten signature]*

26	Centre table for sofa		Each	01				
27	Steel Cabinet (Dress Changing room)		Each	100				
28	Armless Chair		Each	10				
29	Office Table		Pcs	01				
30	LB Table		Pcs	01				
31	Dining table		Nos	03				
32	Drawer Steel File Cabinet		Nos	02				
33	Waiting Chair		Nos	02				
34	Dining Chair		Nos	36				
Total Price offered:								

Note 1: Price shall include all duties, VAT and other taxes already paid or payable if Contract is awarded and Shall be delivered price in final destination or at point of delivery.

Note 2: The Tenderer will complete these columns as appropriate following the details specified in Section 6: Schedule of Requirements  
 Note 3: The price shall also including the cost of installations of the goods with accessories as required as per design and satisfaction of engineer in charge.

Signature:	[insert signature of authorised representative of the Tenderer]
Name:	[insert full name of signatory with National ID]
In the capacity of:	[insert designation of signatory]
Duly authorised to sign the Tender for and on behalf of the Tenderer	



*[Handwritten signature]*



## Specifications Submission and Compliance Sheet (Form PG3-5)

Invitation for Tender No: PUR-  
036/(LG/MPS/OTM)/2019-2020  
Tender Package No:01

Date:19.11.2019

Tender Lot No:01

Package Procurement of Furniture for  
Description: Mymensingh Power Station.  
Lot Description: Procurement of Furniture for  
Mymensingh Power Station.

Item No.	Name of Goods or Related Service	Country of Origin	Make and Model (when applicable)	Full Technical Specifications and Standards
1	2	3	4	5
1	Decorative ceiling			
2	Decorative ceiling			
3	Wall panel			
4	Roller blind			
5	Dress Changing room			
6	PVC pipe 3/4"			
7	PVC pipe 1"			
8	4 gang Switch			
9	MK box 1 gang			
10	LED round panel light			
11	LED double light shed 4"x6"			
12	LED tube shade			
13	T-5 Tube light			
14	1.5 rm bya cable			
15	Conference Table			
16	Pantry Table			
17	Cabinet			
18	low height Cabinet			



*[Handwritten signature]*

*[Handwritten signature]*



19	Chair for Conference room (VIP)			
20	Chair for Conference room			
21	Fixed Chair for Conference room			
22	03 (Three) seated waiting Chair			
23	Center Table			
24	Counter Chair in Reception			
25	Sofa (Single Seater-2pcs & Double Seater-2pcs)			
26	Centre table for sofa			
27	Steel Cabinet (Dress Changing room)			
28	Armless Chair			
29	Office Table			
30	LB Table			
31	Dining table			
32	Drawer Steel File Cabinet			
33	Waiting Chair			
34	Dining Chair			

\*\* In support of offered Technical Specification for item 1-5 & 15, tenderer must submit detail design and drawing. \*\*\* In support of offered Technical Specification for item 16-34, tenderer must submit sufficient documents, such as catalogue with picture.

*[The Tenderer should complete all the columns as required]*

Signature:	
Name:	<i>[insert full name of signatory with National ID]</i>
In the capacity of:	<i>[insert designation of signatory]</i>
Duly authorized to sign the Tender for and on behalf of the Tenderer	



*[Handwritten signature]*

*[Handwritten signature]*





## Section 6. Schedule of Requirements

Invitation for Tender No:	PUR-036/(LG/MPS/OTM)/2019-2020	Date	19.11.2019
Tender Package No:	01	Lot No	01

### A. List of Goods and Delivery Schedule

When completing Form PG3-2 the Tenderer shall quote prices and contract delivery dates for each item against each lot and show each Lot separately, as specified in the List of Goods and Delivery Schedule.)

*This Section provides the List of Goods and Delivery Schedule and List of Related Services and Completion Schedule and must be carefully prepared by a Procuring Entity for each object of procurement*

*The Procuring Entity may include the delivery of a limited supply of fast-moving and/or hard-to-find spare parts in this Schedule of Requirement. This is to ensure the continued use or operation of the equipment.*

Item No.	Description of Item	Unit of Supply	Quantity of Units required	Point of Delivery	Date Required (in weeks)
1	2	3	4	5	6
<b>Lot No 1:</b>					
01	Decorative ceiling	Sft	728	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
02	Decorative ceiling	Sft	300	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
03	Wall panel	Sft	1000	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
04	Roller blind	Sft	440	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
05	Dress Changing room	each	11	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
06	PVC pipe 3/4"	Rft	600	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)



07	PVC pipe 1"	<i>Rft</i>	400	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
08	4 gang Switch	<i>Each</i>	08	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
09	MK box 1 gang	<i>Set</i>	25	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
10	LED round panel light	<i>Set</i>	48	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
11	LED double light shed 4"x6"	<i>Set</i>	20	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
12	LED tube shade	<i>Set</i>	06	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
13	T-5 Tube light	<i>Set</i>	120	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
14	1.5 rm bya cable	<i>Coil</i>	08	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
15	Conference Table	<i>Each</i>	01	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
16	Pantry Table	<i>Each</i>	01	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
17	Cabinet	<i>Each</i>	01	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
18	low height Cabinet	<i>Each</i>	01	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
19	Chair for Conference room (VIP)	<i>Each</i>	01	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
20	Chair for Conference room	<i>Each</i>	22	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)





21	Fixed Chair for Conference room	Each	22	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
22	03 (Three) seated waiting Chair	Each	05	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
23	Center Table	Each	01	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
24	Counter Chair in Reception	Each	01	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
25	Sofa (Single Seater-2pcs & Double Seater-2pcs)	Set	01	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
26	Centre table for sofa	Each	01	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
27	Steel Cabinet (Dress Changing room)	Each	100	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
28	Armless Chair	Each	10	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
29	Office Table	Pcs	01	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
30	LB Table	Pcs	01	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
31	Dining table	Nos	03	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
32	Drawer Steel File Cabinet	Nos	02	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
33	Waiting Chair	Nos	02	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)
34	Dining Chair	Nos	36	Mymensingh Power Station, Shamhuganj, Mymensingh.	60(days)

Note: 1) The design & Sample must be approved by RPCL.

2) Delivery period will be started from the date of approval of design and drawing from RPCL.



### Section 7. Technical Specifications

Invitation for Tender No:	PUR-036/(LG/MPS/OTM)/2019-2020	Date 19.11.2019
Tender Package No:	01	
Lot No :	01	


The Goods and Related Services shall comply with following Technical Specifications:

Item No	Name of Item or Related Service	Technical Specification and Standards
1	2	3
<b>Lot No 1:</b>		
01	Decorative ceiling	Made of garjan wood framing, 12mm plain Teak veneer board with Clear polish in Conference room
02	Decorative ceiling	Made of garjan wood framing, 12mm plain board with enamel paint in Conference room
03	Wall panel	Made of garjan wood framing, 12mm teak veneer board with clear polish in Conference room
04	Roller blind	Roller blind in window matching with wall panting and ceiling decorative
05	Dress Changing room	Room size: 3'-6"x3'-6"x7'-0" Made of garjan wood framing, 12mm barmateak board with polish. Each room should have Standard size Door with Lock and Hunger facility's.
06	PVC pipe 3/4"	Best Quality and renowned brand PVC pipe 3/4"
07	PVC pipe 1"	Best Quality and renowned brand PVC pipe 1"
08	4 gang Switch	Best Quality and renowned brand 4 gang Switch, 220-240V, 10A, 50Hz
09	MK box 1 gang	Best Quality and renowned brand MK box 1 gang
10	LED round panel light	Best Quality and renowned brand LED round panel light of 5" dia, 220-240VAC, 50Hz
11	LED double light shed 4"x6"	Best Quality and renowned brand LED double light shed 4"x6"
12	LED tube shade	Best Quality and renowned brand LED tube shade, 220-240V, 50Hz
13	T-5 Tube light	Best Quality and renowned brand T-5 Tube light, 220-240V, 50Hz
14	Cable BYA	1X 1.5 mm(7W), 400/650VAC BRB/Paradise/Eastern





15	Conference Table	<p><b>Conference Table</b>  <i>Made of Mehogony Play Wood &amp; Lacquer Polish</i>  <i>Size: 25'-0"x6'-0"x2'-6"</i>  <i>Made Seasoning Solid Mehogoni wood &amp; Ply wood Obal Shafe</i></p> <ul style="list-style-type: none"> <li>• Using mature high density solid wood &amp; international quality standard plywood which ensure heavy load bearing capacity.</li> <li>• Termite &amp; Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.</li> <li>• wood coating chemicals supply from international the most innovative and highest quality finishes for wood coating SAYERLACK Italy origin one of the largest producer of wood coatings in Europe.</li> <li>• Smooth and high glossy gorgeous color state of art sprays lacquer finishing.</li> <li>• Fully knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin.</li> <li>• Wood &amp; Plywood Thickness-18mm .</li> <li>• Table Top Thickness-70mm</li> <li>• Identification mark : Hologram and Monogram Sticker</li> <li>• Packing: Carton by Corrugated paper/Poly Pack.</li> <li>• Quality pass marked.</li> </ul> <p>with middle part gap top view 300 mm &amp; bottom 550 mm for wire management, microphone hole panel thickness 25mm , power cable &amp; PAVX phone usage facility system. Table top having imported PVC writing pad. Each table contains one shelf for storing documents .The design and dimension of table should be compatible with layout of conference room.</p>
16	Pantry Table	<p><b>Product Specification</b>  <i>Pantry Table for conference made of Oak veneer board &amp; Lacquer polish .</i>  <i>All Product nock Downen System</i>  <i>Size:1000x600x750mm</i>  <i>Top Side Two Drawer Individual Lock System With 2 Side Individual Self With Door &amp; lock</i></p> <ul style="list-style-type: none"> <li>• Smooth and high glossy gorgeous color state of art sprays lacquer finishing.</li> <li>• Door are sets on high quality smooth running MS Hinge ,Chanel ,SS Knob &amp; lock System.</li> <li>• Oak veneer board &amp; Top &amp; side plywood Thickness-18mm &amp; others component ply board think 16mm.</li> <li>• Identification mark : Hologram and Monogram Sticker</li> <li>• Packing: Carton by Corrugated paper/Poly Pack.</li> <li>• Quality pass sicker.</li> </ul>
17	Cabinet	<p>Cabinet for conference room made of Mahogany Play Wood &amp; Lacquer polish size: 900x400x2100mm</p> <ul style="list-style-type: none"> <li>• Termite &amp; Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.</li> <li>• Smooth and high glossy gorgeous color state of art sprays lacquer finishing.</li> <li>• Door are sets on high quality smooth running MS Hinge ,Chanel ,SS Knob &amp; lock System</li> <li>• Wooden component &amp; Top &amp; side plywood Thickness-18mm &amp; others component ply board think 16mm.</li> <li>• Identification mark : Hologram and Monogram Sticker</li> <li>• Packing: Carton by Corrugated paper/Poly Pack.</li> <li>• Quality pass sicker.</li> </ul>






18	Low height Cabinet	<p>Low Hight Cabinet  Size: 1400 x 400 x 750mm  Product Color Light/Deep Lacquer  Made By Seasoning Solid Mehogoni wood &amp; Ply wood.  RM &amp; Product Information •  Using mature high density solid wood &amp; international quality standard plywood which ensure heavy load bearing capacity.</p> <ul style="list-style-type: none"> <li>• Termite &amp; Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.</li> <li>• wood coating chemicals supply from international the most innovative and highest quality finishes for wood coating SAYERLACK Italy origin one of the largest producer of wood coatings in Europe.</li> <li>• Smooth and high glossy gorgeous color state of art sprays lacquer finishing.</li> <li>• Door are sets on high quality smooth running MS Hinge ,Chanel ,SS Knob &amp; lock System</li> <li>• Wooden component &amp; Top &amp; side plywood Thickness-18mm &amp; others component ply board think 16mm.</li> <li>• Identification mark : Hologram and Monogram Sticker</li> <li>• Packing: Carton by Corrugated paper/Poly Pack.</li> <li>• Quality pass sicker.</li> </ul>
19	Chair for Conference room (VIP)	<p>Swivel Chair  Size: Standard  Rexine color : Black.  Made By  Rexine: Office Fabric  Others : Termite &amp; crack proof imported shell, Nylon &amp; PVC wheel, High density foam, Sprayable adhesive, Gas lift &amp; Mechanism.  Using mature high density imported plywood shell which ensure termite &amp; crack proof &amp; heavy load bearing capacity.</p> <ul style="list-style-type: none"> <li>• Smooth and gorgeous color state of excellent looking finishing.</li> <li>• Gas lift height adjustable mechanism revolving and tilting back constructed with tubular Stainless tube.</li> <li>• Seats and back rests with a full range of ergonomic controls</li> <li>• Best quality PVC chair wheel with half polish Alluminium chair base. • Seat &amp; Back top part use primium quality foam which bearing density 31 kg/m<sup>3</sup> &amp; Back part of back use supper quality foam which bearing density 22.5 kg-m<sup>3</sup>.</li> <li>• Standard chair measurement bearing adjustable seat hight min 490 mm to max 620 mm &amp; back height min 1170 mm to max 1300 mm with Gas lift up-down tolerance.</li> </ul> <p>Packing Information</p> <ul style="list-style-type: none"> <li>• Identification mark : Hologram and Monogram Sticker</li> <li>• Packing: Carton by PE foam, Corrugated paper/Poly Pack.</li> <li>• Quality pass marked</li> </ul>





20	Chair for Conference room	<p>Conference Room Chair          .Chair for Conference room,A-Type          Rexine Color: Black,          Made By: PU Rexine          Product Specification</p> <ul style="list-style-type: none"> <li>• All surface of Mild Steel are mig welded, chemically de-rusted and zinc phosphate coated with oven backed heated powder paint finish</li> <li>• Ø 32mm &amp; 2mm thickness round MS tube &amp; 2mm thick ms plate structure with rubber stopper.</li> <li>• Well-constructed ergonomic design</li> <li>• Use of good quality high Rexine/PU Rexine with high density poly foam pasted by spray able imported adhesive.</li> <li>• Seat &amp; Back top part using primium quality foam with bearing density 31 kg/m<sup>3</sup> &amp; Back part using supper quality foam with bearing density 22.5 kg-m<sup>3</sup>.</li> <li>• Chair standard size bearing seat hight 500 mm &amp; back hight 930 mm.</li> </ul> <p>Packing Information • Identification mark : Hologram and Monogram Sticker          • Packing: Carton by Corrugated paper/Poly Pack. •          Quality pass marked.</p>
21	Fixed Chair for Conference room	<p>Fixed chair for conference Room B-Type          Size: Standard          Rexine : Local rexine &amp; Foreign rexine/ Fabric          Others : SS color Mild Steel, Plywood shell,High density foam &amp; Sprayable adheshive.          Product Specification</p> <ul style="list-style-type: none"> <li>• All surface of Mild Steel are mig welded, chemically de-rusted and zinc phosphate coated with oven backed heated powder paint finish</li> <li>• Ø 25 &amp; Ø19 mm &amp; 1.2mm thickness round MS tube &amp; 1 &amp; 2mm thick ms plate structure with rubber stopper.</li> <li>• Well-constructed ergonomic design for long time comfort siting fixed chair.</li> <li>• Use of good quality Fabric, local Rexine/PU Rexine&amp; Foreign rexine with high density poly foam pasted by spray able imported adhesive. • And also using High quality PVC rubber stoper. • Seat &amp; Back top part use primium quality foam which bearing density 31 kg/m<sup>3</sup> &amp; Back part of back use supper quality foam which bearing density 22.5 kg-m<sup>3</sup>.</li> <li>• Chair standard size bearing seat hight 460mm &amp; back hight 930 mm.</li> </ul> <p>Packing Information • Identification mark : Hologram and Monogram Sticker          • Packing: Carton by Corrugated paper/Poly Pack. •          Quality pass marked.</p>
22	03 (Three) seated waiting Chair	<p>(Three) seated waiting Chair: Waiting Chair: Fully knock down system Three seated waiting chair constructed with 1.2mm thick Stainless Steel. Perforated L shaped (520x480x350mm) each individual seats are of 1.2mm thick SS sheet and with 2.6mm thick and 30mm width edged in left and right side. Edges of the back and seat are of banded by automatic banding machine. Each individual seat fixed by 2ns. 2.6mm thick MS U clamps and fixed on one 80x40mm tubular MS Colum bar. Two armrests and U channel type leg base are of 1.2mm thick SS with floor adjustable stopper. Overall size: L1760xW610xH400/800mm. Standard: ISO 9001:2008          Identification mark: Hologram and Monogram Sticker          Packing: Carton Pack.</p>



*[Handwritten signature]*

*[Handwritten signature]*



23	Center Table	<p>Center Table :Center Table Leg made of 05 nos. 1.2 mm thick 25 mm dia cold rolled MS tube structure &amp; Middle part of Structure made of 19 mm dia 10 nos. round pipe which is Chemically de-rusted, zinc phosphate coated with oven baked (150°-200°C) electrostatic powder paint finished. PVC stopper will be used at the bottom. Top with 8mm thick clear glass.</p> <p>Size : 900 x 550 x 470 mm Standard : ISO 9001:2015 Identification Mark: Hologram and Monogram sticker of manufacturer. Packing : Carton Pack,</p>
24	Counter Chair in Reception	<p>Counter Chair in Reception: Best quality &amp; comfortable revolving chair with tilting facility. Hydraulic height adjustable system. Foam cushioning Seat and back covered by imported high quality nylon net fabric on Solid Garjon ply wood shell. Mechanism structure made of Mig welded Zinc Phosphate Coated oven backed Powder paint finish Mild Steel. 60mm width Arms are made of SS Combination Nylon. Leg with 5nos. castors are made of Nylon.</p> <p>Size : Seat : 470 x 430 and Back 430x 480mm (Approx.) Height : Floor to seat 425 -510mm, Floor to back : 905 – 995mm( Approx.) Standard: ISO 9001:2015 Identification mark: Hologram and Monogram Sticker. Packing: Poly Pack.</p>
25	Sofa (Single Seater-2pcs & Double Seater-2pcs)	<p>Sofa Set for VIP Waiting Room Double Seater Mahogany With Leather Product Specification</p> <ul style="list-style-type: none"> <li>• Using mature high density plywood shell for to ensure termite &amp; crack proof &amp; heavy load bearing capacity.</li> <li>Termite &amp; Crack Proof: EMC level maintained kiln seasoned and chemically treated wood.</li> <li>• Our Mehogoni wood coating chemicals supply from international the most innovative and highest quality finishes for wood coating SAYERLACK Italy origin one of the largest producer of wood coatings in Europe.</li> <li>• Smooth and gorgeous color state of excellent looking finishing.</li> <li>• Seats and back rests with a full range of ergonomic controls provide comfort and support during prolonged periods of seated task work.</li> <li>• Use high performance imported sprayable adhesives for fixing foam with bend plywood shell smoothly.</li> <li>• Making separate seat / back in order to easily moving &amp; cleaning.</li> <li>• Also use for sofa structure making Mehogoni wood, foam, imported Leather &amp; nail pin inside. •</li> </ul> <p>Excellent sewing quality with straight line by defect free machine mechanism. •Use Royal quality foam for making sofa seat which density 36 kg/m<sup>3</sup> &amp; also use premium quality foam for making sofa back part which density 31 kg/m<sup>3</sup>.</p> <p>•Standard Sofa measurement bearing fixed seat height 480 mm, Arm height 600mm &amp; back height 820mm.</p> <p>Packing Information</p> <ul style="list-style-type: none"> <li>• Identification mark : Hologram and Monogram Sticker</li> <li>• Packing: Carton by PE foam, Corrugated paper/Poly Pack.</li> <li>• Quality pass sticker.</li> </ul>





26	Centre table for sofa	<p>Centre table for sofa: Center Table stand on 4 no's curved designed nonmagnetic stainless steel leg. Middle part 12 mm thick garjon ply wood covered by imported Rexene &amp; top will be 16 mm thick Scratch proof and termite proof MFC Chip board with red oak color matte finished surface. Upper part of the center table 8 mm thick clear glass on 1.2 mm thick 25 mm dia nonmagnetic stainless steel round pipe.</p> <p>Standard : ISO 9001:2015  Size : 900x500x440mm ( Approx)  All works done as per Drawing /Image.  Color: Direction by Procurement Entity  Identification Mark: Hologram and Monogram sticker of manufacturer.  Packing : Poly Pack,</p>
27	Steel Cabinet (Dress Changing room)	<p>Single door Steel Cabinet made of, 0.7, 0.8 &amp; 0.9 mm thick imported cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted, zinc phosphate coated and oven-backed paint finish. Cabinet constructed with 2no's Shelf upper Part 500x300mm for Helmet &amp; Lower part 500x450mm for Shoe and Middle part having MS cloth hanger facility for wearing of cloth . High quality imported S type handle with Cyber Lock on the door panel with three keys.</p> <p>Size: 500 L X 600 W X 1800 H mm  Identification mark: Hologram and Monogram Sticker of manufacturer . Packing: Carton Pack</p>
28	Armless Chair	<p>Armless Chair for dress changing room  Product Color Lacquer Color : Light &amp; Deep Product Specification  Made By Others : Mahogany &amp; Teak wood with PU lacquer, Stainless Steel tube &amp; PVC legstoper</p> <ul style="list-style-type: none"> <li>• All surface of Stainless Steel are tig welded excellent looking finishing confirms ss shiny color and longevity.</li> <li>• Ø 19 &amp; Ø12.5 mm &amp; 1.2mm thickness SS round tube structure with leg stopper.</li> <li>• Well-constructed ergonomic design for long time comfort siting fixed chair.</li> <li>• Use mature &amp; high density Mahogany/Teak wood with PU lacquer and covering light/ deep color and also using also poly foam pasted by spray able imported adhesive with rexine.</li> <li>• High quality PVC leg stoper.</li> <li>• Chair standard size bearing seat hight 455mm &amp; back hight 895 mm.</li> </ul> <p>Packing Information • Identification mark : Hologram and Monogram Sticker  • Packing: Carton by Corrugated paper/Poly Pack. •  Quality pass marked.</p>
29	Office Table	<p>Table with Fixed 3 Drawer Unit Left Side &amp; Right Side made of imported best quality scratch proof and termite proof melamine faced chip board with PVC stopper &amp; edging by automatic edge bending machine. Board Thickness: Top 25 mm and other panels are 16/18 mm. Board density is of 650-700 kg/m3. One Drawer unit consist of 3 drawer with high quality imported central lock and round shaped PVC handle to be fix with Table top and side panel in Left Side &amp; Right Side. Table top to be fixe in between the side panels and one horizontal front panel fixed in between the side panels. Fully knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin etc.</p> <p>Size: L-2000 x W-700 x H-750mm  Identification mark: Hologram and Monogram Sticker.  Packing: Carton &amp; Poly Pack.</p>
30	LB Table	<p>Made of melamine laminated Board. Table top 18 mm other panels are 18/16mm thickness. Edges of panels are to be sealed by 2mm. PVC edging. Top and panels joint by using housing, dowel jibe screw, T. Nut and pneumatic nailing where necessary, adjusted PVC stoppers &amp; fully knock down facility. Two Nos. drawer units with one lock with grip &amp; PVC stopper.</p> <p>Table Size :1050 L x 675W x 750Hmm  Identification mark: Hologram and Monogram Sticker.  Packing: Carton Pack.</p>



31	Dining table	<p>Heavy duty table constructed with 2nos 1.2mm thick 75mm dia Mild steel tubular structure with 3mm thick Mild Steel Cross Leg in bottom and Cross bar on top. Leg base are with floor adjustable stopper. Top made of 16mm thick black colored laminated board with 16mm bit and edged of the table top sealed with 2mm thick PVC edging by automatic edge banding machine. All surface of mild steel are chemically de-rusted Zinc Phosphate coated and oven backed powder paint finish. Fully knock down system.</p> <p>Size: L1800 X W 1200 X H750mm</p> <p>Identification mark: Hologram and Monogram Sticker of manufacturer.</p> <p>Packing: Carton &amp; Poly Pack.</p>
32	Drawer Steel File Cabinet	<p>4 Drawer File Cabinet Made of, 0.7 , 0.8 &amp; 0.9 mm thick high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Drawers are set on high quality smooth running MS channel, PVC Handle, and High quality central locking system.</p> <p>Size: L-475 x W-610 x H-1390mm</p> <p>Packing: Packing: carton pack. with PVC Belt,</p> <p>Identification Mark: Hologram sticker and Monogram Sticker.</p>
33	Waiting Chair	<p>SS Type Waiting Chair (3 Seated) Made of SS structure, seat &amp; Back best quality foam cushion with cover by hight dencity artificial Leather.hardware.</p>
34	Dining Chair	<p>Made of mild steel box structure and with well-seasoned mehagoni wood with polish. Structure made of 1.2mm thick 19x19mm square mild steel tube with PVC end cap. Seat (385x380mm) and back rest (350x290mm) made of 38x22 mm thick wooden frame and wooden strips.</p> <p>All components of Mild Steel should be chemically de-rusted zinc phosphate coated oven backed powder paint finish.</p> <p>Height: Floor to seat-430mm &amp; floor to back is 850mm.</p> <p>Packing: Poly pack</p>

