

RURAL POWER COMPANY LIMITED

**Tender Document for
Procurement of Consumable Items (Mechanical & Electrical) at
Gazipur 105 MW Power Plant.**

Tendering Method: Request for Quotation (RFQ), National.

Tender Inquiry No: PUR-001(LG/GPP105MW/RFQ)2023-24, Date: 03.10.2023

TENDER CLOSING DATE: 12.10.2023, Time: 12.00 PM

October-2023

Handwritten signature

Handwritten signature

RPCL- GAZIPUR 105 MW POWER PLANT, KODDA, GAZIPUR
REQUEST FOR QUOTATION

for

Procurement of Consumable Items at Gazipur 105 MW Power Plant.
(Mechanical & Electrical Consumable Items)

Tender Inquiry No: PUR-001(LG/GPP105MW/RFQ)2023-24

Date: 03/10/2023

To


1. The **RPCL-Gazipur 105 MW Power Plant** has been allocated public funds and intends to apply a portion of the funds to eligible payments under the Contract for which this Quotation Document is issued.
2. Detailed Specifications and, Design & Drawings for the intended Goods shall be available in the office of the Procuring Entity for inspection by the potential Quotationers during office hours on all working days.
3. Quotation shall be prepared and submitted using the 'Quotation Document'.
4. Quotation shall be completed properly, duly signed-dated each page by the authorized signatory and submitted by the date to the office as specified in **Para 6** below.
5. No Securities such as Quotation Security (i.e. the traditionally termed Earnest Money, Tender Security) and Performance Security shall be required for submission of the Quotation and delivery of the Goods (if awarded) respectively.
6. Quotation in a sealed envelope or by fax or through electronic mail shall be submitted to the office of the undersigned **on or before 12.10.2023, 12:00 PM**. The envelope containing the Quotation must be clearly marked "**Quotation for Consumable Items (Mechanical & Electrical) at Gazipur 105 MW Power Plant.**" and "**DO NOT OPEN before 12.10.2023, 12:00 PM**". Quotations received later than the time specified herein shall not be accepted.
7. Quotations received by fax or through electronic mail shall be sealed-enveloped by the Procuring Entity duly marked as stated in **Para 6** above and all Quotations thus received shall be sent to the Evaluation Committee for evaluation, without opening, by the same date of closing the Quotation.
8. The Procuring Entity may extend the deadline for submission of Quotations on justifiably acceptable grounds duly recorded subject to threshold of ten (10) days pursuant to Rule 71 (4) of the Public Procurement Rules, 2008.
9. All Quotations must be valid for a period of at least **60 (Sixty) days** from the closing date of the Quotation.
10. No public opening of Quotations received by the closing date shall be held.
11. Quotationer's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law, if the Contract is awarded.
12. Rates shall be quoted and, subsequent payments under this Contract shall be made in Taka currency. The price offered by the Quotationer, if accepted shall remain fixed for the duration of the Contract.
13. Quotationer shall have legal capacity to enter into Contract. Quotationer, in support of its qualification shall be required to submit certified photocopies of latest documents related to valid **Trade License, Tax Identification Number (TIN), VAT Registration Number** and **13 Digit BIN Certificate** without which the Quotation may be considered non-responsive.
14. Quotations shall be evaluated based on information and documents submitted with the Quotations, by the Evaluation Committee and, at least Three (03) responsive Quotations will be required to determine the lowest evaluated responsive Quotations for award of the Contract.


15. In case of anomalies between unit rates or prices and the total amount quoted, the unit rates or prices shall prevail. In case of discrepancy between words and figures the former will govern. Quotationer shall remain bound to accept the arithmetic corrections made by the Evaluation Committee.
16. The supply of Goods shall be completed within **30 (Thirty)** days from the date of issuing the Purchase Order.
17. The Purchase Order that constitutes the Contract binding upon the Supplier and the Procuring Entity shall be issued within **30 (Thirty)** days of receipt of approval from the Approving Authority.
18. The Procuring Entity reserves the right to reject all the Quotations or annul the procurement proceedings.

.....
(Mohammad Jahangir Alam Mazumder)
Superintending Engineer (Plant In-Charge)
Gazipur 105 MW Power Plant, Kadda, Gazipur.
Email: alammazumder@yahoo.com

Distribution:

1. Managing Director, RPCL, Dhaka.
2. Executive Director (Engineering), RPCL, Dhaka.
3. Executive Director (Finance), RPCL, Dhaka.
4. Chief Engineer (O & M), RPCL, Dhaka.
5. RPCL Website & Notice Board.
6. Office File.





Quotation Submission Letter

[Use Letter-head Pad]

Tender Inquiry No: PUR-001(LG/GPP105MW/RFQ)2023-24

Date: 03/10/2023

To:

(Mohammad Jahangir Alam Mazumder)
Superintending Engineer (Plant In-Charge)
RPCL- Gazipur 105 MW Power Plant, Kadda, Gazipur.
Email: alammazumder@yahoo.com

I/We, the undersigned, offer to supply in conformity with the Terms and Conditions for delivery of the Goods named **Consumable Items (Mechanical & Electrical)**

The total Price of my/our Quotation is BDT [.....]

And words.....]

My/Our Quotation shall remain valid for the period stated in the RFQ Document and it shall remain binding upon us and, may be accepted at any time prior to the expiration of its validity period.

I/We declare that I/we have the legal capacity to enter into a contract with you, and have not been declared ineligible by the Government of Bangladesh on charges of engaging in corrupt, fraudulent, collusive or coercive practices. Furthermore, I/we am/are aware of Para 21(b) of the Terms and Conditions and pledge not to indulge in such practices in competing for or completion of delivery of Goods.



I/We am/are not submitting more than one Quotation in this RFQ process in my/our own name or other name or in different names. I/We understand that the Purchase Order issued by you shall constitute the Contract and will be binding upon me/us.

I/We have examined and have no reservations to the RFQ Document issued by you on [.....]

I/We understand that you reserve the right to reject all the Quotations or annul the procurement proceedings without incurring any liability to me/us.



Signature of Quotationer with Seal

Date:



Price Schedule for supply of Goods

Sn No	Item name	Specifications	Brand	Unit	Qty	Unit Price (BDT)		Amount (BDT)	Destination for Delivery of Goods
						In figure	In words	In figure	
1	2	3		4	5	6	7	8= 5*6	9
1	Grease	Temperature Range: -20°C to 180°C, Base Oil: Mineral Oil	Mobil/Equivalent	Kg	40				RPCL-Gazipur 105 MW Power Plant, Kadda, Gazipur
2	Disc cleaner	25 ltr/jar	Unitor/Equivalent	Liter	50				
3	Antiseize paste	Molykote P-1600, 500 gm/Can, Temperature Range: From -20 °C to +130 °C as a paste, up to +1100 °C as a dry solid lubricant.	Molykote/Equivalent	Kg	4				
4	Rust Remover	pH: 6-8, 277 ml/ Can, WD 40, 277 ml/can	WD 40/Equivalent	Pcs	40				
5	VITAL RED RTV(Instant gasket maker)	High temperature Resistant up to 650 F(243 C), 85g/ Tube	V-Tech/Equivalent	Tube	36				
6	Cutting disc	105x1.2x16mm, 14560 rpm, 80m/s, T41WA/F 60Q6BF	ELE abrasives/Equivalent	Pcs	50				
7	Grinding disc, 7"	7 Inch Grinding Wheel for Metal 180 x 6.6 x 22.23 mm	Bosch/Equivalent	Pcs	6				
8	Scouring	Strainless steel scouring pad	RFL/Equivalent	Pcs	60				
9	Scouring	Material: Plastic, Size: medium.	RFL/Equivalent	Pcs	12				
10	Hand golves (cotton)	5 ply cotton seamless knitted gloves	Reputed brand	Dozen	74				
11	Safety Goggles	Transparent fiber	3M/Equivalent	pair	12				
12	Leather hand gloves	Small size, Welding Works PPE	Reputed brand	Pair	8				





13	Hose Clamp	Diameter: 1/2 inch, Material: Stainless steel.	Prevost/Equivalent	Pcs	20			
14	Hose Clamp	Diameter: 3/4 inch, Material: Stainless steel.	Prevost/Equivalent	Pcs	30			
15	Hose Clamp	Diameter: 1 inch, Material: Stainless steel.	Prevost/Equivalent	Pcs	20			
16	Hose Clamp	Diameter: 2 inch, Material: Stainless steel.	Prevost/Equivalent	Pcs	20			
17	Welding glass	Color: White	3M/Equivalent	Pair	12			
18	Welding glass	Color: Blue	3M/Equivalent	Pair	12			
19	Epoxy compound	100 gm/ Can	M-seal/Equivalent	Can	4			
20	Super glue	3 gm/ tube	Super Glue/Equivalent	Tube	40			
21	Masking Tape	1"	ETIPL/Equivalent	Pcs	4			
22	Masking Tape	2"	ETIPL/Equivalent	Pcs	2			
23	Pneumatic pipe connector	Union straight, Size: 6 mm, 10 bar, Material: PVC.	RFL/Equivalent	Pcs	20			
24	Pneumatic pipe connector	Union elbow, 6 mm, 10 bar, PVC.	RFL/Equivalent	Pcs	6			
25	Pneumatic pipe connector	Union straight, 8 mm, 10 bar, PVC.	RFL/Equivalent	Pcs	10			
26	Pneumatic pipe connector	Union Straight, 10 mm, 10 bar, PVC.	RFL/Equivalent	Pcs	6			
27	Pneumatic pipe	Dia: 6 mm, Pressure: 10 bar, Material: polyurethane	RFL/Equivalent	Feet	200			
28	Pneumatic pipe	Dia: 8 mm, Pressure: 10 bar, Material: polyurethane	RFL/Equivalent	Feet	100			
29	Pneumatic pipe	Dia: 10 mm, Pressure: 10 bar, Material: polyurethane	RFL/Equivalent	Feet	100			

30	Threadlocker	Loctite® 242/ Equivalent, 50 ml bottle	Henkel/Equivalent	Pcs	2			
31	Cleaning Brush, 1"	1", Flat, PVC handle	RFL/Equivalent	Pcs	6			
32	Cleaning Brush, 2"	2", Flat, PVC handle	RFL/Equivalent	Pcs	2			
33	Cleaning brush	Wooden handle-1", Reputed brand	RFL/Equivalent	Pcs	6			
34	Cleaning brush	Wooden handle-2", Reputed brand	RFL/Equivalent	Pcs	6			
35	Silicon gasket maker	Silicon polymer Paste, 300 ml/ Cartridge, Service Temperature Upto 650°F,	Vital Red RTV/ Equivalent	Pcs	10			
36	Quick Coupler with nipple	Diameter: 1/2", Material: stainless steel, Female threaded.	Stucchi/Equivalent	Pcs	6			
37	Grease gun	Capacity: 04 Kg	Yato/Equivalent	Pcs	1			
38	Mobil gun	Capacity: 04 Kg	Yato/Equivalent	Pcs	1			
39	Pressure gauge	Pressure range: 0-2.5 Mpa, Glycerin filled.	Wika/Equivalent	Pcs	10			
40	Pressure gauge	Pressure range: 0-4.0 Mpa, Glycerin filled.	Wika/Equivalent	Pcs	4			
41	Fuel filter	Forklift Model: CPCD30N	Hangcha/ Equivalent	Pcs	1			
42	Air filter	Forklift Model: CPCD30N	Hangcha/ Equivalent	Pcs	1			
43	Lube oil filter	Forklift Model: CPCD30N	Hangcha/ Equivalent	Pcs	1			
44	Contact cleaner	Contact cleaner	Sprayway/ Eqv.	Pcs	6			
45	Battery	AA	Olympic/ Eqv	Pcs	24			
46	Battery	9v, non rechargeable	Olympic/ Eqv	Pcs	2			
47	Battery	AAA	Olympic/ Eqv	Pcs	12			
48	Cable Tie	150*5 mm-Black	Kitty/Eqv	Pkt	6			
49	Cable Tie	200*5 mm-Black,	Kitty/Eqv	Pkt	12			
50	Cable Tie	250*5 mm-Black	Kitty/Eqv	Pkt	12			

PANU

51	Wooden handle Cleaning Brush	Size: 2"	Reputed brand	Pcs	12			
52	Wooden handle Cleaning Brush	Size: 1"	Reputed brand	Pcs	12			
53	MCB	C-curve, 50Hz, 230VAC, 10KA; SP,16A	ABB/Eqv	Pcs	2			
54	Transformer silica gel	Blue color	Reputed Brand	kg	20			
55	AC refrigerator	R410A,11.3 kg/cylinder	Forane/ Eqv	Cylinder	2			
56	Battery WASTE R	5Ltr can	Volvo/Eqv	Can	10			
57	Floor cleaning Brush	Deluxe Floor Mop Cleaning, Material: PP & Aluminium Pipe, Cotton Rope, Dimension (CM): (L x W x H) 126.0 x 15.0 x 10.0	RFL/Eqv	Pcs	2			
58	PVC tape	Red,yellow,blue	Tisha/Eqv	Pcs	48			
59	Multiplug	13/16A,2230VAC	Energypac / Eqv.	Pcs	2			
60	Two pin plug	15A,230VAC	Superstar/ Eqv.	Pcs	24			
61	Three pin plug	15A,flat,	Superstar/ Eqv.	Pcs	6			
62	Multi pin Socket	13A,230VAC	Superstar/ Eqv.	Pcs	12			
63	MK Box	MK Box	Superstar/ Eqv.	Pcs	12			
64	Tester	100V-500V	UMS MALAYSIA/ Eqv	Pcs	12			
65	LED Tuibe Light	(Industrial) 22Watt,230VAC,4ft long,	Superstar/ Eqv	Pcs	20			




66	LED Bulb	20watt, 230VAC	Superstar/ Eqv	Pcs	6			
67	Surface panel light	Outdoor type, 18W, 230VAC	Transtec/ Eqv	Pcs	4			
68	LED Light	LED delux 5 W daylight, Patch type, E-27 (220-240V, 50 Hz)	Superstar/ Eqv	Pcs	6			
69	LED Flood Light	Model No: SEMFLPS_AG_100W Lamp Wattage: 100W; Frequency: 50 Hz; IP Rating at least: 65; CCT : 6500K (Daylight); CRI: >80; Optics: - Wide Beam Distribution, Surge: 8KV Internal, Housing Material: Pressure Die Cast ALAlay , Operating Voltage: 85-265V , 50Hz, Lumen Efficacy: 130 Lm/W , Driver: Fixed output High cut @325V, 440V for 8hrs, Mounting: Via U Clamp, Optical cover: Toughened Glass, Serviceability: Class B.	Saif Powertec/ Eqv	Pcs	10			
70	Capacitor	12 uF, 230VAC	Philips/ Eqv	Pcs	6			
71	Switch	1G, 230V, 16A	Superstar/ Eqv	Pcs	6			
72	Switch	2G, 230V, 16A	Superstar/ Eqv	Pcs	6			
73	Switch	4G, 230V, 16A	Superstar/ Eqv	Pcs	6			

Patna


[Handwritten Signature]

74	PVC Insulated cable	3x 1.5mm, NYY,0.6/1kV	BRB /Eqv	Meter	100			
75	Exhaust Fan	18",1HP,230VAC,1400rpm,6000 cfm, metal frame with louver	Super King/ Eqv	Pcs	1			
76	Motor Bearing	6313	SKF/ Eqv	Pcs	2			
77	Motor Bearing	6309-Z C3	SKF/ Eqv	Pcs	2			
78	Motor Bearing	6208-2Z/C3	SKF/ Eqv	Pcs	2			
79	Motor Bearing	6206-2Z/C3	SKF/ Eqv	Pcs	2			
80	Motor Bearing	6205-2Z/C3	SKF/ Eqv	Pcs	2			
81	Motor Bearing	6204-2Z/C3	SKF/ Eqv	Pcs	2			
82	Motor Bearing	6206-Z	SKF/ Eqv	Pcs	2			
83	Motor Bearing	6206-2Z	SKF/ Eqv	Pcs	2			
84	Motor Bearing	6004-2RSH/C3	SKF/ Eqv	Pcs	2			
85	Motor Bearing	6004RZ	SKF/ Eqv	Pcs	2			
86	Motor Bearing	6205-2RSH/C3	SKF/ Eqv	Pcs	2			
87	Magnetic Contact or	Model:LC1N32,230 VAC	Schneider/ Eqv	Pcs	2			
88	Magnetic Contact or	Model:LC1D65 10,230VAC	Schneider/ Eqv	Pcs	2			

Total Price for Supply of Goods including (VAT & Taxes), BDT		In figure	
		In words	
Goods to be supplied to:	For GPP: RPCL-Gazipur 105 MW Power Plant, Kadda, Gazipur		
Total Amount in BDT (in word)			
Delivery offered(days):			
Warranty Provided			

Signature of Quotationer with Seal	Date: / /2023
---	----------------------

Patna



Name of Quotationer:	
----------------------	--

Note:

1. Col. 6, 7 & 8 to be filled in by the Quotationer.
2. Rates or Prices shall include profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges earlier paid or to be paid under the Applicable Law, if the Contract is awarded; including transportation, insurance etc. whatsoever up to the point of delivery of Goods in all respects to the satisfaction of the Procuring Entity.

Handwritten signature

Handwritten signature

Technical Specification of the Goods Required

Sl n o	Item Name	Full Technical Specification and Standards	Brand	Countr y of Origin	Manufacture r and Model
1	2	3	4	5	6
1	Grease	Temperature Range: -20°C to 180°C, Base Oil: Mineral Oil	Mobil/ Equivalent		
2	Disc cleaner	25 ltr/jar	Unitor/ Equivalent		
3	Antiseize paste	Molykote P-1600, 500 gm/Can, Temperature Range: From -20 °C to +130 °C as a paste, up to +1100 °C as a dry solid lubricant.	Molykote/Equivalent		
4	Rust Remover	pH: 6-8, 277 ml/ Can, WD 40, 277 ml/can	WD 40/ Equivalent		
5	VITAL RED RTV(Instant gasket maker)	High temperature Resistant up to 650 F(243 C), 85g/ Tube	V-Tech/Equivalent		
6	Cutting disc	105x1.2x16mm,14560 rpm,80m/s,T41WA/F60Q6B F	ELE abrasives/ Equivalent		
7	Grinding disc, 7"	7 Inch Grinding Wheel for Metal 180 x 6.6 x 22.23 mm	Bosch/Equivalent		
8	Scouring	Strainless steel scouring pad	RFL/Equivalent		
9	Scouring	Material: Plastic, Size: medium.	RFL/Equivalent		
10	Hand golves (cotton)	5 ply cotton seamless knitted gloves	Reputed brand		
11	Safety Goggles	Transparent fiber	3M/ Equivalent		
12	Leather hand gloves	Small size, Welding Works PPE	Reputed brand		
13	Hose Clamp	Diameter: 1/2 inch, Material: Stainless steel.	Prevost/Equivalent		

Btm



14	Hose Clamp	Diameter: 3/4 inch, Material: Stainless steel.	Prevost/Equivalent		
15	Hose Clamp	Diameter: 1 inch, Material: Stainless steel.	Prevost/Equivalent		
16	Hose Clamp	Diameter: 2 inch, Material: Stainless steel.	Prevost/Equivalent		
17	Welding glass	Color: White	3M/ Equivalent		
18	Welding glass	Color: Blue	3M/ Equivalent		
19	Epoxy compound	100 gm/ Can	M-seal/ Equivalent		
20	Super glue	3 gm/ tube	Super Glue/ Equivalent,		
21	Masking Tape	1"	ETIPL/Equivalent		
22	Masking Tape	2"	ETIPL/Equivalent		
23	Pnumatic pipe connector	Union straight, Size: 6 mm, 10 bar, Material: PVC.	RFL/Equivalent		
24	Pnumatic pipe connector	Union elbow, 6 mm, 10 bar, PVC.	RFL/Equivalent		
25	Pnumatic pipe connector	Union straight, 8 mm, 10 bar, PVC.	RFL/Equivalent		
26	Pnumatic pipe connector	Union Straight, 10 mm, 10 bar, PVC.	RFL/Equivalent		
27	Pneumatic pipe	Dia: 6 mm, Pressure: 10 bar, Material: polyurethane	RFL/Equivalent		
28	Pneumatic pipe	Dia: 8 mm, Pressure: 10 bar, Material: polyurethane	RFL/Equivalent		
29	Pneumatic pipe	Dia: 10 mm, Pressure: 10 bar, Material: polyurethane	RFL/Equivalent		
30	Threadlocker	Loctite® 242/ Equivalent, 50 ml bottle	Henkel/Equivalent		

BAM

31	Cleaning Brush, 1"	1", Flat, PVC handle	RFL/Equivalent		
32	Cleaning Brush, 2"	2", Flat, PVC handle	RFL/Equivalent		
33	Cleaning brush	Wooden handle-1", Reputed brand	RFL/Equivalent		
34	Cleaning brush	Wooden handle-2", Reputed brand	RFL/Equivalent		
35	Silicon gasket maker	Silicon polymer Paste, 300 ml/ Cartridge, Service Temperature Upto 650°F,	Vital Red RTV/ Equivalent		
36	Quick Coupler with nipple	Diameter: 1/2", Material: stainless steel, Female threaded.	Stucchi/Equivalent		
37	Grease gun	Capacity: 04 Kg	Yato/Equivalent		
38	Mobil gun	Capacity: 04 Kg	Yato/Equivalent		
39	Pressure gauge	Pressure range: 0-2.5 Mpa, Glycerin filled.	Wika/Equivalent		
40	Pressure gauge	Pressure range: 0-4.0 Mpa, Glycerin filled.	Wika/Equivalent		
41	Fuel filter	Forklift Model: CPCD30N	Hangcha/Equivalent		
42	Air filter	Forklift Model: CPCD30N	Hangcha/Equivalent		
43	Lube oil filter	Forklift Model: CPCD30N	Hangcha/Equivalent		
44	Contact cleaner	Contact cleaner	Sprayway/Eqv.		
45	Battery	AA	Olympic/Eqv		
46	Battery	9v, non rechargeable	Olympic/Eqv		
47	Battery	AAA	Olympic/Eqv		

Baner

[Signature]

48	Cable Tie	150*5 mm-Black	Kitty/Eqv		
49	Cable Tie	200*5 mm-Black,	Kitty/Eqv		
50	Cable Tie	250*5 mm-Black	Kitty/Eqv		
51	Wooden handle Cleaning Brush	Size: 2"	Reputed brand		
52	Wooden handle Cleaning Brush	Size: 1"	Reputed brand		
53	MCB	C-curve, 50Hz, 230VAC, 10KA; SP,16A	ABB/Eqv		
54	Transformer silica gel	Blue color	Reputed Brand		
55	AC refrigerant	R410A,11.3 kg/cylinder	Forane/ Eqv		
56	Battery WATER	5Ltr can	Volvo/Eqv		
57	Floor cleaning Brush	Deluxe Floor Mop Cleaning, Material: PP & Aluminium Pipe, Cotton Rope, Dimension (CM): (L x W x H) 126.0 x 15.0 x 10.0	RFL/Eqv		
58	PVC tape	Red,yellow,blue	Tisha/Eqv.		
59	Multiplug	13/16A,2230VAC	Energypac/ Eqv.		
60	Two pin plug	15A,230VAC	Superstar/Eqv.		
61	Three pin plug	15A,flat,	Superstar/Eqv.		
62	Multi pin Socket	13A,230VAC	Superstar/Eqv.		
63	MK Box	MK Box	Superstar/Eqv.		

Handwritten signature

Handwritten signature

64	Tester	100V-500V	UMS MALAYSIA/Eqv		
65	LED Tuibe Light	(Industrial) 22Watt,230VAC,4ft long,	Superstar/ Eqv		
66	LED Bulb	20watt, 230VAC	Superstar/ Eqv		
67	Surface panel light	Outdoor type, 18W, 230VAC	Transtec/Eqv		
68	LED Light	LED delux 5 W daylight, Patch type, E-27 (220-240V, 50 Hz)	Superstar/ Eqv		
69	LED Flood Light	Model No: SEMLFLPS_AG_100W Lamp Wattage: 100W; Frequency: 50 Hz; IP Rating at least: 65; CCT : 6500K (Daylight); CRI: >80; Optics: - Wide Beam Distribution, Surge: 8KV Internal, Housing Material: Pressure Die Cast ALAlay , Operating V oltag: 85- 265V , 50Hz, Lumen Efficacy: 130 Lm/W , Driver: Fixed output High cut @325V, 440V for 8hrs, Mounting: Via U Clamp, Optical cover: T oughened Glass, Serviceability: Class B.	Saif Powertec/ Eqv		
70	Capacitor	12 uF, 230VAC	Philips/Eqv		
71	Switch	1G, 230V, 16A	Superstar/ Eqv		
72	Switch	2G, 230V, 16A	Superstar/ Eqv		
73	Switch	4G, 230V, 16A	Superstar/ Eqv		
74	PVC Insulated cable	3x 1.5rm, NYY,0.6/1kV	BRB /Eqv		
75	Exhaust Fan	18",1HP,230VAC,1400rpm,6 000 cfm, metal frame with louver	Super King/ Eqv		

76	Motor Bearing	6313	SKF/ Eqv		
77	Motor Bearing	6309-Z C3	SKF/ Eqv		
78	Motor Bearing	6208-2Z/C3	SKF/ Eqv		
79	Motor Bearing	6206-2Z/C3	SKF/ Eqv		
80	Motor Bearing	6205-2Z/C3	SKF/ Eqv		
81	Motor Bearing	6204-2Z/C3	SKF/ Eqv		
82	Motor Bearing	6206-Z	SKF/ Eqv		
83	Motor Bearing	6206-2Z	SKF/ Eqv		
84	Motor Bearing	6004-2RSH/C3	SKF/ Eqv		
85	Motor Bearing	6004RZ	SKF/ Eqv		
86	Motor Bearing	6205-2RSH/C3	SKF/ Eqv		
87	Magnetic Contactor	Model:LC1N32	Schneider/ Eqv		
88	Magnetic Contactor	Model:LC1D65 10	Schneider/ Eqv		

I/We declare to supply Goods offered by me/us fully in compliance with the Technical Specifications and Standards mentioned hereinabove

Signature of Quotationer with Seal	Date: / /2023
Name of Quotationer:	

[Handwritten Signature]

[Handwritten Signature]

Note:

1. Column 5 & 6 to be filled by the Quotationer.

2. Specifications are to be filled in by the Procuring Entity. A set of precise and clear specifications is a pre-requisite for Quotations to respond realistically and competitively to the requirements of the Procuring Entity. In the context of competitive Quotations, the specifications shall be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of materials, and performance of the Goods to be procured. The specifications should require that all items, materials and accessories to be included or incorporated in the Goods be new, unused and of most recent or current models, and that they include or incorporate all recent improvements in design and materials.

3. Technical Specifications of the Goods shall be in compliance with the requirements of the Procuring Entity specified in this document. Quotationer is required to mention make / model (as applicable) of the Goods offered and must attach the appropriate original printed (if not available copied) literature / brochures for the listed items.

PA



[enter here the name and address of the Procuring Entity]

PURCHASE ORDER FOR THE SUPPLY OF GOODS

[insert name of the supplies in brief]

Purchase Order No. _____

Date:


RFQ No:	Date:
To:	
Delivery Date:	Order Value: BDT
Delivery: As per Terms and Conditions	

The Purchaser has accepted your Quotation dated [.....] for the supply of Goods as listed below and requests that you supply the Goods within the delivery date stated above, in the quantities and units in conformity with the Technical Specifications under the Terms and Conditions as annexed.

ORDER ITEMS
Attached Certified photocopy of approved Priced Schedule for Goods Attached Certified photocopy of approved Technical Specification of the Goods Required Attached Certified photocopy of Terms and Conditions
For the Purchaser:
Signature of the Procuring Entity with name and Designation
Date

Attachments:As stated above

Retina




Terms and Conditions
for
Supply of Goods and Payment

1. Terms and Conditions contained herein shall be binding upon both the Procuring Entity and the Supplier for the purpose of administration and management of this Contract.
2. Implementation and interpretation of these Terms and Conditions shall, in general, be under the purview of the Public Procurement Act, 2006 and the Public Procurement Rules, 2008.
3. The Supplier shall have to complete the delivery in all respects within 30(thirty) days of issuing the Purchase Order in conformity with the Terms and Conditions.
4. The Supplier shall be entitled to an extension of the Delivery Schedule if the Procuring Entity delays in receiving the Goods and related services or if Force Majeure situation occurs or for any other reasons acceptable to the Procuring Entity on justifiable grounds duly recorded.
5. All delivery under the Contract shall at all times be open to examination, inspection, measurements, testing, commissioning, and supervision of the Procuring Entity or his/her authorized representative.
6. The Procuring Entity shall check and verify the delivery made by the Supplier in conformity with the Technical Specifications and notify the Supplier of any Defects found.
7. If the Goods are found to be defective or otherwise not in accordance with the specifications, the Procuring Entity may reject the supplies by giving due notice to the Supplier, with reasons.
8. The Supplier shall be entirely responsible for payment of all taxes, duties, fees, and such other levies under the Applicable Law.
9. Notwithstanding any other practice, the payment shall be based on the actual delivery of goods on the basis of the quantity of each item of Goods in accordance with the Priced Schedule and Specifications. 100% of the contract price of the Goods shall be paid after successful supply of the Goods, material receiving report, quality certificate issued by the Gazipur 105 MW Power Plant.
10. The Supplier's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law.
11. The Total Contract Price is BDT:
(in
word:.....
.....)
12. The minimum Warranty Period of the Supplies shall be 06 (Six) months starting from the date of completion of delivery in the form of submission by the Supplier and acceptance by the Procuring Entity, of the Delivery Chalan.
13. The Supplier shall remain liable to fulfil the obligations pursuant to Rule 40 (5) of the Public Procurement Rules, 2008.

Handwritten signature

Handwritten signature

14. The Supplier shall keep the Procurement Entity harmless and indemnify from any claim, loss of property or life to himself/herself, his/her workmen or staff, any staff of the Procurement Entity or any third party while delivering the Goods.
15. Any claim arising out of delivery of Goods shall be settled by the Supplier at his/her own cost and responsibility.
16. Damage to the Goods during the Warranty Period shall be remedied by the Supplier at the Supplier's own cost, if the damage arises from the supply and installation by the Supplier.
17. No modification to Scope of Supply and no Variations to the quantities ordered shall be permissible under any circumstances.
18. **The Procuring Entity contracting shall amend the Contract incorporating required approved changes subsequently introduced to the original Terms and Conditions in line with Rules, where necessary.**
19. The Procuring Entity may, by written Notice sent to the Supplier, terminate the Contract in whole or in part at any time, if the Supplier:
 - a. fails to deliver Goods as per Delivery Schedule and Specifications.
 - b. in the judgement of the Procuring Entity, has engaged in any corrupt, fraudulent, collusive or coercive practices in competing for or in delivery of goods.
 - c. fails to perform any other obligation(s) under the Contract.
20. The Procuring Entity and the Supplier shall use their best efforts to settle amicably all possible disputes arising out of or in connection with this Contract or its interpretation.
21. The Supplier shall be subject to, and aware of provision on corruption, fraudulence, collusion and coercion in Section 64 of the Public Procurement Act, 2006 and Rule 127 of the Public Procurement Rules, 2008.
22. If the supplier fails to supply the materials within delivery period **30 (Thirty) days** then liquidated damage shall be imposed 0.1% per day but not more than 10% of the purchase order value of the undelivered item.
23. Tax will be deducted at source as per GOB Rule. Supplier is responsible for paying the VAT. The Mushak Challan-6.3 shall be provided at the time of delivery. Without Mushok 6.3, no payment will be executed.

<p>For the Purchaser:</p>  <p>..... (Mohammad Jahangir Alam Mazumder) Superintending Engineer (Plant In-Charge) RPCL- Gazipur 105 MW Power Plant, Kadda, Gazipur.</p>	<p>For the Supplier:</p> <p>..... Name: Designation:</p>
Date	Date

